

Industrial Gear Units:

XMiner - Drive Solution Package



Global Availability, Local Support

Created by SEW-Eurodrive in Bruchsal, Germany, the X series is relied upon by the world's most demanding industrial applications in places such as Europe, Australia, Finland, China, and South Africa. Created from the X series specifically for the mining industry, the rugged XMiner is now available locally in North America with engineering and assembly in Lyman, South Carolina.

World class quality + Local availability + Local support ... the wait is over!

Features and Benefits

Features

- Extremely robust housing
- Helical or helical-bevel gear unit
- Single-piece or split gear unit housing
- Reversible housing; can be inverted for either right-hand or left-hand shaft location
- Universal mounting positions
- Distinctive modular technology
- Large selection of standard accessories
- Standard solutions designed for specific applications
- Either CCW or CW rotation

Benefits

- High power density reduces weight and cost
- Innovative/patented cooling systems eliminate expensive alternatives
- Less inventory/spares
- Local engineering and application support provided for proper sizing
- Short delivery for standard versions and spare parts
- Worldwide service
- Customization? No problem!

Mining Applications

- Conveyor systems
- Chain conveyors
- Belt conveyors
- Crushers
- Apron feeders

Size and Torque Capacity

Gear ratios and torques

X.K.. bevel-helical gear units: 2, 3 and 4 stages, gear ratio i = 6.3 to 450

Gear unit size	Torque capacity M _{N2} [lb-in]	Gear unit size	Torque capacity M _{N2} [lb-in]
100	60,200	200	699,000
110	75,200	210	797,000
120	113,000	220	991,000
130	142,000	230	1,159,000
140	195,000	240	1,381,000
150	243,000	250	1,549,000
160	319,000		
170	398,000		
180	513,000		
190	575,000		





_


- Rigid flange coupling
- SEW Motor (up to 300 HP)



Plug & Play:

- Alignment free _
- Easy drop-in

Reversible gear unit housing



Reversible Housing Design:

- High flexibility with conveyor drives
- Right-hand or Left-hand shaft location _ available in one unit
- Less inventory/spares



Taconite Heavy Duty Sealing System:

- Abrasive environments: _
 - Mining •
 - Cement
- Labyrinth sealing path
- Grease purgeable
- Laminar rings prevent grease from getting pumped into gear unit seals



SEW-EURODRIVE ... Wherever you are, we are

North America:

Midwest Region Assembly Center SEW-Eurodrive, Inc. Troy, OH 45373 Tel. (937) 335-0036 Fax (937) 332-0038 cstroy@seweurodrive.com

Mexico

SEW-Eurodrive Sales and Distribution SA de CV Queretaro, Mexico Tel. (011) 52-442-103-0300 Fax (011) 52-442-103-0301 scmexico@seweurodrive.com.mx Northeast Region Assembly Center SEW-Eurodrive, Inc. Bridgeport, NJ 08014 Tel. (856) 467-2277 Fax (856) 845-3179 csbridgeport@seweurodrive.com

Canada SEW-Eurodrive Co. of Canada Ltd. Bramalea, Ontario Tel. (905) 791-1553 Fax (905) 791-2999 marketing@sew-eurodrive.ca Southeast Region Assembly Center SEW-Eurodrive, Inc. Lyman, SC 29365 Tel. (864) 439-7537 Fax (864) 439-7830 cslyman@seweurodrive.com

Canada SEW-Eurodrive Co. of Canada Ltd. Delta, B.C. Tel. (604) 946-5535 Fax (604) 946-2513 marketing@sew-eurodrive.ca Southwest Region Assembly Center SEW-Eurodrive, Inc. Dallas, TX 75237 Tel. (214) 330-4824 Fax (214) 330-4724 csdallas@seweurodrive.com

Canada SEW-Eurodrive Co. of Canada Ltd. LaSalle, Quebec Tel. (514) 367-3124 Fax (514) 367-3677 marketing@sew-eurodrive.ca Western Region Assembly Center SEW-Eurodrive, Inc. Hayward, CA 94544 Tel. (510) 487-3560 Fax (510) 487-6433 cshayward@seweurodrive.com

